

Dimensional Analysis *Handout*

Students gather data, select appropriate units of measure and convert from one system to another.

Units are a critical part of describing every measurement. Before you can work with units mathematically, you frequently must convert from one unit to another. Dimensional analysis does not do your math for you, but it makes sure calculations are correct. After that, all you have to do is find the conversion factors and enter the numbers into a calculator.

Visit www.pinellas.wateratlas.org > The Atlas > and select the drop down arrow for Lake Name and select a lake. When the General Info page comes up, look over the information available on Pinellas County's lakes. Notice that the units used are standard units i.e., acres, feet, gallons, etc. You will find these units and convert them to the appropriate metric units using dimensional analysis.

YOUR TASK

Conversion to metric units is important because the scientific community uses only metric units in their measurements and journals and the use of standard measures is now limited to the U.S. and Bahrain internationally. Conversion units can be found on the Internet at www.worldwidemetric.com. But first, look at the following information on using Dimensional Analysis for converting units. Additionally, science fair projects are only accepted using metric units.

WHATEVER YOU MEASURE, YOU HAVE TO USE UNITS.

When something is measured, the units should be specific and labeled. For instance, if I tell you I am 16 tall, you haven't learned much about my height: your proper response would be "16 what?" If I respond 16 inches, you know that I am a very short person; on the other hand, if I tell you I am 16 feet, you can sign me up for the basketball team.

The above examples are for units of length, but there are many other things that we measure, and all of them require units. For instance, time can be measured in seconds or minutes (or hours, days, etc); angles can be measured in degrees or in radians; and so on. Some units are made up of other units: for instance, you might measure the speed of a car in miles/hour. So "50 mph" means that every hour, the car travels 50 miles; very different from a car traveling 50 mi/s, for instance! No matter what is being measured, you must specify the units of measurement.

SOMETIMES UNITS NEED TO BE CONVERTED.

Suppose that a 60-inch man stands on the head of a 6-foot man. How tall are they together? Obviously, you cannot find the answer to this question by adding 60 to 6. The reason the answer is not 66 is that the two figures are given in different units. Before you can add the two numbers, you have to convert one of them to the units of the other. Then, when you have two numbers in the same units, you can complete the calculation.

Name:

Date:

Dimensional Analysis Handout

In order to perform this conversion, you need a conversion factor. That is, in this case, you have to know how many inches make up a foot. You probably already know the answer: 12 inches is 1 foot. So knowing that, you can perform the calculation in two steps as follows:

- a. 60 inches is really $60/12 = 5$ feet
- b. 5 feet + 6 feet = 11 feet

The second half of the calculation is easy; once all of your units are the same, calculation is simple. The difficult portion is the conversion because sometimes you have to divide, and sometimes you have to multiply. In the above example inches was converted to feet by dividing by 12. If I were going the other way, converting from feet to inches, I would have multiplied by 12. How do I figure out which to do?

One way is by using common sense. I know that 60 inches can't possibly be 720 feet; there obviously have to be fewer feet than inches. However, sometimes common sense fails. For instance, if you want to convert miles/hour into meters/second, what do you multiply or divide by what?

Fortunately, there is another relatively easy way to make conversions. This technique is called dimensional analysis.

DIMENSIONAL ANALYSIS TELLS YOU WHAT TO MULTIPLY OR DIVIDE.

Let's review the previous problem, but use dimensional analysis, just so we can introduce the method. As you recall, the interesting part of the problem was step a), where I had to convert 60 inches into feet. I knew that there are 12 inches in a foot, so common sense told me to divide by 12.

Here's the dimensional analysis way:

First of all, write the conversion factor as a fraction. 12 inches = 1 foot, so the conversion factor is

$$\frac{12 \text{ inches}}{1 \text{ foot}} \quad * \quad \frac{1 \text{ foot}}{12 \text{ inches}}$$

Because 12 inches is the same thing as 1 foot, that fraction is just like $5/5$; it's equal to 1. And we can multiply by it without changing anything.

So, let's try that on our 60 inches.

$$\frac{60 \text{ inches}}{1} \quad * \quad \frac{1 \text{ foot}}{12 \text{ inches}} = \frac{60}{12} = 5 \text{ ft.}$$

The critical thing to note about the above equation is that the *units behave like numbers do when you multiply fractions*. That is, the inches on top and the inches on the bottom cancel out, leaving feet. Then all you have to worry about is the numbers.

Name:

Date:

Dimensional Analysis Handout

Suppose I had written it the wrong way, like the following equation:

$$\frac{60 \text{ inches}}{1} * \frac{12 \text{ inches}}{1 \text{ foot}} = 60 * 12 \frac{\text{in.} * \text{in.}}{\text{ft.}} \quad (\text{wrong})$$

I would have immediately realized that multiplying $60 * 12$ is wrong, because the units of the answer are inches*inches/feet instead of just feet. So the dimensional analysis shows me immediately that dividing is correct, and multiplying is not.

Such conversions are even easier in the metric system, of course, since all the conversion factors are multiples of ten. For instance, to convert 10 km to m, you would simply write:

$$10 \text{ km} * \frac{1000 \text{ m}}{1 \text{ km}} = 10,000 \text{ m}$$

At this point, you may well be asking yourself "so what?" Dimensional analysis doesn't take much time, and it isn't very difficult, but it is certainly more trouble than the common-sense method.

To answer that, let's look at a more difficult unit conversion problem. Suppose that I want to convert 55 mi/hr into m/s. I know that 1 mile is 5280 feet, that 1 meter is 3.3 feet, that 1 hour is 60 minutes, and that 1 minute is 60 seconds. Now, what do I multiply, or divide, by what?

This is a very tricky question, but using dimensional analysis, it becomes easy. First of all, I write all the above conversions as fractions, remembering that I might have to turn some of them upside-down.

$$\frac{1 \text{ mile}}{5280 \text{ ft}} * \frac{1 \text{ m}}{3.3 \text{ ft}} * \frac{1 \text{ hour}}{60 \text{ min}} * \frac{1 \text{ min.}}{60 \text{ sec.}}$$

Now I write out an equation to convert from miles/hour to m/s, watching the units to make sure the units will cancel out each other.

$$\frac{55 \text{ miles}}{1 \text{ hour}} * \frac{5280 \text{ ft}}{1 \text{ mile}} * \frac{3.3 \text{ ft}}{1 \text{ m}} * \frac{1 \text{ hour}}{60 \text{ min}} * \frac{1 \text{ min.}}{60 \text{ sec.}} = \frac{55 * 5280 * 3.3 \text{m}}{60 * 60 \text{ sec}} \quad (\text{wrong})$$

Did you follow that, and make sure that the units cancel to give us meters/second? If you did, you hopefully were not surprised by the annotation on the right: because this equation is most definitely incorrect. Do you see why? The "feet" on the top of the fractions do not cancel; so instead of being left with meters/seconds, we are left with the rather ungainly units of:

$$\frac{\text{ft} * \text{ft}}{\text{m} * \text{s}}$$

Name:

Date:

Dimensional Analysis *Handout*

That is most definitely *not* what we are looking for; which is a perfect example of how, in a complicated problem like this, dimensional analysis can prevent you from making errors. If we turn the feet/meters fraction around, we get:

$$\frac{55 \text{ mi}}{1 \text{ hour}} * \frac{5280 \text{ ft}}{1 \text{ mile}} * \frac{1 \text{ m}}{3.3 \text{ ft}} * \frac{1 \text{ hour}}{60 \text{ min}} * \frac{1 \text{ min}}{60 \text{ sec}} = \frac{55 * 5280 \text{ m}}{3.3 * 60 * 60 \text{ sec}} = 24.4 \text{ m/sec}$$

If you think that was overly difficult, try to imagine what it would have been like without dimensional analysis! You would still have had to multiply the 55, 5280, 3.3, 60, and 60, but first you would have had to figure out which to multiply and divide. And if you had made a mistake, how would you have caught it?

Use the above information to make the conversion calculations for several data sets on the Watershed Atlas site. Submit your information to be compiled by the class to send to scientists who collect water data. (Click on the Pinellas County icon at the top of the page to return to the home page. Select Education > Educational Documents and Links to find links to websites of agencies who test and measure the quality and quantity of our water.) You never know, your class may help bring all of the U.S. one step closer to catching up to the rest of the world's measurement standards.

Name:

Date: